

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|-----------|---|-----|---|
| DPA01CM69 | 424 3-FAS RELÉ 1P 8A 600-690VAC DIN (OVERVOLTAGE) | STK | G |
|-----------|---|-----|---|



| | | | |
|------------|---------------------------------|-----|---|
| 5317105509 | 424 ADAPTARI FRONTMONTAGA M22-A | STK | G |
|------------|---------------------------------|-----|---|



| | | | |
|------------|-------------------------------|-----|---|
| 5317107468 | 424 ADAPTARI TIL DIN-SKINNARA | STK | G |
|------------|-------------------------------|-----|---|



| | | | |
|------------|--|-----|---|
| 3922401360 | 424 ATUOMATSIKR 4P 16A/C +HPFI 0,030A (4 112 34) | STK | G |
|------------|--|-----|---|



| | | | |
|------------|---------------------------------------|-----|---|
| 3922330004 | 424 AUTOMATSIKR 1P 2A/C 6KA (6048 00) | STK | G |
| 3922330017 | 424 AUTOMATSIKR 1P 4A/C 6KA (6048 01) | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunnr | Bólki Vørutekstur | Eind | Goym |
|------------|---------------------------------------|------|------|
| 3922330046 | 424 AUTOMATSIKR 1P 6A/C 6KA (6048 04) | STK | G |
| 5322422028 | 424 AUTOMATSIKR 1P 10A/C 15/10KA PLSM | STK | G |
| 5322422042 | 424 AUTOMATSIKR 1P 13A/C 15/10KA PLSM | STK | G |



| | | | |
|------------|--|-----|---|
| 3922200529 | 424 AUTOMATSIKR 1P+N 10A/C +HPFI 0,030A (085 85) | STK | G |
| 5322427436 | 424 AUTOMATSIKR 1P+N 10A/C 6KA 1½MODUL | STK | G |
| 5322427450 | 424 AUTOMATSIKR 1P+N 13A/C 6KA 1½MODUL | STK | G |
| 3922200545 | 424 AUTOMATSIKR 1P+N 16A/C +HPFI 0,030A (085 87) | STK | G |
| 5322427474 | 424 AUTOMATSIKR 1P+N 16A/C 6KA 1½MODUL | STK | G |



| | | | |
|------------|---|-----|---|
| 3922401085 | 424 AUTOMATSIKR 2P 2M 10A/C 6KA (4 192 22) | STK | G |
| 3922401292 | 424 AUTOMATSIKR 2P 2M 13A/C +HPFI 0,030A (4 110 60) | STK | G |
| 3922401098 | 424 AUTOMATSIKR 2P 2M 13A/C 6KA (4 192 23) | STK | G |
| 3922401108 | 424 AUTOMATSIKR 2P 2M 16A/C 6KA (4 192 24) | STK | G |



| | | | |
|------------|---------------------------------------|-----|---|
| 5322424701 | 424 AUTOMATSIKR 3P 10A/C 15/10KA PLSM | STK | G |
| 5322424725 | 424 AUTOMATSIKR 3P 13A/C 15/10KA PLSM | STK | G |
| 5322424749 | 424 AUTOMATSIKR 3P 16A/C 15/10KA PLSM | STK | G |
| 5322424756 | 424 AUTOMATSIKR 3P 20A/C 15/10KA PLSM | STK | G |
| 5322424763 | 424 AUTOMATSIKR 3P 25A/C 15/10KA PLSM | STK | G |
| 3922330465 | 424 AUTOMATSIKR 3P 32A/C 15/10KA PLSM | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|--|-----|---|
| 3922330415 | 424 AUTOMATSIKR 3P+N 10A/C 6KA (6048 94) | STK | G |
| 3922330444 | 424 AUTOMATSIKR 3P+N 20A/C 6KA (6048 97) | STK | G |
| 3922330461 | 424 AUTOMATSIKR 3P+N 40A/C 6KA (6047 97) | STK | G |
| 3922330462 | 424 AUTOMATSIKR 3P+N 50A/C 6KA (6047 98) | STK | G |
| 3922330463 | 424 AUTOMATSIKR 3P+N 63A/C (Møller) | STK | G |
| 3922330464 | 424 AUTOMATSIKR 3P+N 125A/C (Møller) | STK | G |



| | | | |
|------------|--|-----|---|
| 3922320166 | 424 AUTOMATSIKR 3P+N 10A/C +HPFI 0,030A (080 75) | STK | G |
| 3922320218 | 424 AUTOMATSIKR 3P+N 10A/C +HPFI 0,300A (080 84) | STK | G |
| 3922320263 | 424 AUTOMATSIKR 3P+N 13A/C +HPFI 0,030A (080 80) | STK | G |
| 3922320221 | 424 AUTOMATSIKR 3P+N 16A/C +HPFI 0,300A (080 85) | STK | G |
| 3322061481 | 424 AUTOMATSIKR 3P+N 16A/C 6KA (Schneider) | STK | G |



| | | | |
|------------|--|-----|---|
| 3922400329 | 424 AUTOMATSIKR 4P 4M 13A/C 6KA (4 192 56) | STK | G |
| 3922400332 | 424 AUTOMATSIKR 4P 4M 16A/C 6KA (4 192 57) | STK | G |
| 3922400798 | 424 AUTOMATSIKR 4P 4M 25A/C 6KA (4 035 64) | STK | G |
| 3922400808 | 424 AUTOMATSIKR 4P 4M 32A/C 6KA (4 035 65) | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



5317763008

424 AVBR 16A 1S-SW/S B

STK G



3919000017

424 AVBR DINSK. 1-POL 20A

STK G

3919000075


424 AVBR DINSK. 2-POL 20A

STK G

3919000211

424 AVBR DINSK. 4-POL 63A

STK G



1016003799

424 AVDEKN T/TILSLUTN.RÚM MÁLARASKÁP GL.TYPA

STK G



5317097594

424 BETJENINGSDEIL T/FAK SV FAK-S

STK G



* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goyrn |
|------------|---|------|-------|
| 7921210008 | 424 DEKAFIX 1- 50 MERKING TIL TALVU/KLEMMU | STK | G |
| 7921210011 | 424 DEKAFIX 51-100 MERKING TIL TALVU/KLEMMU | STK | G |



| | | | |
|------------|--------------------------------------|-----|---|
| 1016009890 | 424 DEKKKAPPI T/ GRUPPUTALVA UG24 GR | STK | G |
|------------|--------------------------------------|-----|---|



| | | | |
|------------|-----------------------------------|-----|---|
| 1016008817 | 424 DEKNINGSPLÁTA, GRUPPETALVA UG | STK | G |
|------------|-----------------------------------|-----|---|



| | | | |
|------------|----------------------------|-----|---|
| 1421900005 | 424 DINSKINNARI 2MTR LONGD | STK | G |
|------------|----------------------------|-----|---|



| | | | |
|------------|------------------------------------|-----|---|
| 5317101309 | 424 DREJEGREB KORT 2-STIL M22-WRK | STK | G |
| 5317101325 | 424 DREJEGREB KORT 3-STIL M22-WRK3 | STK | G |
| 5317101341 | 424 DREJEGREB KORT 3-STIL M22-WRK3 | STK | G |



| | | | |
|------------|--|-----|---|
| 5317101684 | 424 DREJEKNAP V/LYKLI 2-STIL M22S-WRS | STK | G |
| 5317101671 | 424 DREJEKNAP V/LYKLI 2-STIL MS1 M22-WRS | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|--------------------------|-----|---|
| 7921181043 | 424 ENDAPLÁTA WAP 2,5-10 | STK | G |
|------------|--------------------------|-----|---|



| | | | |
|------------|--------------------------|-----|---|
| 7921138012 | 424 ENDASTOP EW 35 T/SAK | STK | G |
|------------|--------------------------|-----|---|



| | | | |
|------------|--|-----|---|
| 8822800118 | 424 FEILSTREYMAVBR 40A T/FREKV.UMF. PFIM | STK | G |
| 5322357474 | 424 FEILSTREYMAVBR 63A T/FREKV.UMF. PFIM | STK | G |



| | | | |
|------------|---|-----|---|
| 5317108674 | 424 FÓTKONTAKT SV. M/1S+1B FAK-S/KC11/1 | STK | G |
|------------|---|-----|---|



| | | | |
|------------|------------------------------------|-----|---|
| 7121801152 | 424 GJØGNUMGANGSKLEMMMA BLÁ 6-50KV | STK | G |
|------------|------------------------------------|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu førum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|------------|------------------------------------|------|------|
| 7121801149 | 424 GJØGNUMGANGSKLEMMMA GRÁ 6-50KV | STK | G |



| | | | |
|------------|-------------------------------------|-----|---|
| 7921181001 | 424 GJØGNUMGANGSKLEMMMA WDU 2,5 | STK | G |
| 7921181014 | 424 GJØGNUMGANGSKLEMMMA WDU 2,5 BLÁ | STK | G |
| 7921181250 | 424 GJØGNUMGANGSKLEMMMA WDU 4 | STK | G |
| 7921181263 | 424 GJØGNUMGANGSKLEMMMA WDU 4 BLÁ | STK | G |
| 7921181438 | 424 GJØGNUMGANGSKLEMMMA WDU 6,0 | STK | G |
| 7921181441 | 424 GJØGNUMGANGSKLEMMMA WDU 6,0 BLÁ | STK | G |



| | | | |
|------------|---------------------|-----|---|
| 1018020291 | 424 GRUPPUAVBR 1P+N | STK | G |
|------------|---------------------|-----|---|



| | | | |
|------------|------------------------------|-----|---|
| 1018020932 | 424 GRUPPUAVBR 3P+N 10A (LK) | STK | G |
| 1018020945 | 424 GRUPPUAVBR 3P+N 13A (LK) | STK | G |
| 1018020958 | 424 GRUPPUAVBR 3P+N 16A (LK) | STK | G |
| 1018020961 | 424 GRUPPUAVBR 3P+N 63A (LK) | STK | G |



| | | | |
|------------|-------------------------------|-----|---|
| 3419700082 | 424 GRUPPUAVBR 63A (SERVODAN) | STK | G |
|------------|-------------------------------|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vørunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|--|-----|---|
| 8812892424 | 424 GRUPPUSKÁP KV 1503 2MODUL IP54 HENSEL | STK | G |
| 8812892437 | 424 GRUPPUSKÁP KV 1504 4MODUL IP54 HENSEL | STK | G |
| 8812892440 | 424 GRUPPUSKÁP KV 1506 6MODUL IP54 HENSEL | STK | G |
| 8812892453 | 424 GRUPPUSKÁP KV 1509 9MODUL IP54 HENSEL | STK | G |
| 8812892466 | 424 GRUPPUSKÁP KV 1512 12MODUL IP54 HENSEL | STK | G |
| 8812892482 | 424 GRUPPUSKÁP KV 2524 24MODUL IP54 HENSEL | STK | G |
| 8812892505 | 424 GRUPPUSKÁP KV 3536 36MODUL IP54 HENSEL | STK | G |



| | | | |
|------------|--|-----|---|
| 1016008451 | 424 GRUPPUTALVA UG 2-150 | STK | G |
| 1016008477 | 424 GRUPPUTALVA UG 6-150 | STK | G |
| 1016009379 | 424 GRUPPUTALVA UG12 INNBYGN PGE 150-14 HV | STK | G |
| 1016008493 | 424 GRUPPUTALVA UG12-150 | STK | G |
| 1016009395 | 424 GRUPPUTALVA UG18 INNBYGN PGE 150-21 HV | STK | G |



| | | | |
|------------|--------------------------|-----|---|
| 1016008516 | 424 GRUPPUTALVA UG18-150 | STK | G |
| 1016009816 | 424 GRUPPUTALVA UG24-150 | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu førum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vørunn | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|----------------------------------|-----|---|
| 7517000525 | 424 HANGIKONTAKT XACA06 TÓM 6HOL | STK | G |
|------------|----------------------------------|-----|---|



| | | | |
|------------|--|-----|---|
| 5322056106 | 424 HJÁLPIKONAKTBL M/1S+1B 11DILM | STK | G |
| 5322271402 | 424 HJÁLPIKONAKTBL M/2S+2B 22DILE | STK | G |
| 5318147029 | 424 HJÁLPIKONTAKT M/1S+1B BOTNM.HI11-P1-P3Z | STK | G |
| 5318141106 | 424 HJÁLPIKONTAKT M/1S+1B FRONTM.HI11-P1/P3E | STK | G |
| 5322189170 | 424 HJÁLPIKONTAKT M/1S+1B NHI11-PKZO B | STK | G |
| 5322182546 | 424 HJÁLPIKONTAKT M/1S+1B NHI-E-11-PKZO | STK | G |
| 5322189196 | 424 HJÁLPIKONTAKT M/2S+1B NHI21-PKZO | STK | G |
| 5322056083 | 424 HJÁLPIKONTAKTBL DILR M/3S+1B 31DIL | STK | G |
| 5322056119 | 424 HJÁLPIKONTAKTBL M/2S+2B 22DILM | STK | G |



| | | | |
|------------|--------------------------------|-----|---|
| 1016009926 | 424 HONGSL T/LOK T/GRUPPUTALVU | STK | G |
|------------|--------------------------------|-----|---|



| | | | |
|------------|--------------------------------------|-----|---|
| 3922500038 | 424 HPFI RELÉ 40A 2P 30mA (6021 93) | STK | G |
| 3922401043 | 424 HPFI RELÉ 40A 4P 30mA (4 020 75) | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir þísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|------------|-------------------------------------|------|------|
| 3922330499 | 424 HPFI RELÉ 63A 4P 30mA (6021 95) | STK | G |



| | | | |
|------------|---|-----|---|
| 5317106210 | 424 HÚS M/2 TRYKK GRØN/RØD I/ 0 M/2S+2B | STK | G |
|------------|---|-----|---|



| | | | |
|------------|---------------------------------|-----|---|
| 9821191848 | 424 JØRÐKLEMMMA GUL/GRØN 6-50KV | STK | G |
|------------|---------------------------------|-----|---|



| | | | |
|------------|-------------------------|-----|---|
| 7921182738 | 424 JØRÐKLEMMMA WJK 4 | STK | G |
| 7921182178 | 424 JØRÐKLEMMMA WPE 2,5 | STK | G |
| 7921182194 | 424 JØRÐKLEMMMA WPE 6,0 | STK | G |



| | | | |
|------------|--|-----|---|
| 5322171191 | 424 KAPSLING IP55 REYÐ/GRØN GREB CI-K2-PSZO- | STK | G |
|------------|--|-----|---|



| | | | |
|------------|---|-----|---|
| 5322171858 | 424 KAPSLING IP55 SVART GREB CI-K2-PKZ0-G | STK | G |
|------------|---|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|---|-----|---|
| 5322814045 | 424 KAPSLING IP65 GUMMIMEMBRAN CI-KPZ01-G | STK | G |
|------------|---|-----|---|



| | | | |
|------------|----------------------------|-----|---|
| 5317105554 | 424 KASSI M/1 HOL M22-I1 B | STK | G |
| 5317105570 | 424 KASSI M/2 HOL M22-I2 B | STK | G |
| 5317105583 | 424 KASSI M/3 HOL M22-I3 B | STK | G |
| 5317105596 | 424 KASSI M/4 HOL M22-I4 | STK | G |



| | | | |
|------------|--|-----|---|
| 5317652784 | 424 KIPRELÉ 12V Z-S12/SS B | STK | G |
| 5323655358 | 424 KIPRELÉ 24V Z-S24/S B | STK | G |
| 3922100470 | 424 KIPRELÉ 1SL 230V 16A (041 62) | STK | G |
| 3922200998 | 424 KIPRELÉ 2SL 230V 16A (041 68) | STK | G |
| 3922100496 | 424 KIPRELÉ 4SL 230V 16A NO (4 124 16) | STK | G |



| | | | |
|------------|--|-----|---|
| 5317106016 | 424 KONTAKTBLOK 1B FRONTMONT. M22-AK01 | STK | G |
| 5317106029 | 424 KONTAKTBLOK 1S FRONTMONT. M22-AK10 | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|---|-----|---|
| 5317105541 | 424 KONTAKTELEMENT 1B BOTNMONT M22-KC01 B | STK | G |
| 5317105525 | 424 KONTAKTELEMENT 1B FRONTMONT. M22-K01 | STK | G |
| 5317105538 | 424 KONTAKTELEMENT 1S BOTNMONT M22-KC10 B | STK | G |
| 5317105512 | 424 KONTAKTELEMENT 1S FORNTMONT. M22-K10 | STK | G |



| | | | |
|------------|---|-----|---|
| 5322765651 | 424 KONTAKTOR 3KW 3P+NO DILM7-10 24VDC | STK | G |
| 5322021348 | 424 KONTAKTOR 4,0KW 3P 230/240V | STK | G |
| 5322021542 | 424 KONTAKTOR 4,0KW 3P+NC 230/240V | STK | G |
| 5322271266 | 424 KONTAKTOR 4,0KW 3P+NC 230/240V | STK | G |
| 5322020077 | 424 KONTAKTOR 4,0KW 3P+NO 24V | STK | G |
| 5322271237 | 424 KONTAKTOR 4,0KW/400V 1S DILEM 240V | STK | G |
| 5322271318 | 424 KONTAKTOR 4KW/400V 1B DILEM 24VDC | STK | G |
| 5322271282 | 424 KONTAKTOR 4KW/400V 1S DILEM 24VDC | STK | G |
| 5322021649 | 424 KONTAKTOR 5,5KW 3P 230V/240V | STK | G |
| 5322022978 | 424 KONTAKTOR 5,5KW 3P+NO 24V 50/60 | STK | G |
| 5322900588 | 424 KONTAKTOR 7,5KW 230V 50HZ | STK | G |
| 5322036016 | 424 KONTAKTOR 7,5KW 3P 24V-DC | STK | G |
| 5322021005 | 424 KONTAKTOR 7,5W 3P 24V 50/60 | STK | G |
| 5322035143 | 424 KONTAKTOR 11,0KW 3P 230/240V | STK | G |
| 5322035172 | 424 KONTAKTOR 11KW 3P 24V 50/60 | STK | G |
| 5322035240 | 424 KONTAKTOR 15,0KW 3PS 230/240V | STK | G |
| 3922200859 | 424 KONTAKTOR 16A 1SL+1BR 230V (041 26) | STK | G |
| 5322035347 | 424 KONTAKTOR 18,5KW 3P 230/240V | STK | G |
| 5322651817 | 424 KONTAKTOR 1S+1B Z-R230/SO | STK | G |
| 3922200875 | 424 KONTAKTOR 25A 4SL 230V (041 31) | STK | G |
| 5322315421 | 424 KONTAKTOR 2S Z-R230/SS | STK | G |
| 5322051046 | 424 KONTAKTOR 55KW 3P 230/240V | STK | G |
| 276399 | 424 KONTAKTOR DILA-22 | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|------------|---|------|------|
| 276329 | 424 KONTAKTOR DILA-40 | STK | G |
| 5322770181 | 424 KONTAKTOR DILM17-10 7,5KW 3P NO 24V 50/60HZ | STK | G |
| 5322771362 | 424 KONTAKTOR DILM25-10 11KW 3P NO 24V 50/60HZ | STK | G |
| 7522411183 | 424 KONTAKTOR LC1D40P7 18,5KW 3P NO+NC 230V | STK | G |
| 5322174512 | 424 KONTAKTORBLOK 4KW/400V 1S+1B 240V60HZ | STK | G |
| 5322183309 | 424 KONTAKTORBLOK 20KW/400V S-PKZ2 230V50HZ | STK | G |



| | | | |
|------------|---------------------------------|-----|---|
| 1016009188 | 424 LÆSIPINNUR V/FJØÐUR T/UG150 | STK | G |
|------------|---------------------------------|-----|---|



| | | | |
|------------|-------------------------------------|-----|---|
| 5317101930 | 424 LAMPUTRYKK FLATT GRØNT M22-DL-G | STK | G |
|------------|-------------------------------------|-----|---|



| | | | |
|------------|--|-----|---|
| 5317106595 | 424 LED ELEMENT 18-30V AC/DC GRØN LED | STK | G |
| 5317106579 | 424 LED ELEMENT 18-30V AC/DC HVÍT LED | STK | G |
| 5317106582 | 424 LED ELEMENT 18-30V AC/DC REYTT LED | STK | G |
| 5317106676 | 424 LED ELEMENT 85-264V AC GRØN LED | STK | G |
| 5317106744 | 424 LED ELEMENT 85-264V AC GRØN LEDC | STK | G |
| 5317106650 | 424 LED ELEMENT 85-264V AC HVÍT LED | STK | G |
| 5317106692 | 424 LED ELEMENT 85-264V AC HVÍT LEDC | STK | G |
| 5317106663 | 424 LED ELEMENT 85-264V AC REYTT LED | STK | G |
| 5317106731 | 424 LED ELEMENT 85-264V AC REYTT LEDC | STK | G |
| 5317108331 | 424 LED LAMPUFATN 85-264V AC GRØN LED | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunn | Bólki Vørutekstur | Eind | Goyrn |
|--------|-------------------|------|-------|
|--------|-------------------|------|-------|



330-00700

424 LJÓSDEMPARI 350W DIN (NIKO)

STK G



1067000770

424 LJÓSDEMPARI DIMMER 180W

STK G

4267350052

424 LJÓSDEMPARI DIMMER LR 300W

STK G

4267350069

424 LJÓSDEMPARI DIMMER LR 600W

STK G

4267350076

424 LJÓSDEMPARI DIMMER LR 1000W DIN

STK G



1016009476

424 LOK T/ GRUPPUTALVU PGE-150 14 INNBYGG HV

STK G

1016010436

424 LOK T/ MÁLARASKÁP V/RÚTI GR

STK G

1016009489

424 LOK T/GRUPPUTALVU PGE 150-14 TRANSP

STK G

1016009502

424 LOK T/GRUPPUTALVU PGE 150-21 HV

STK G

1016009515

424 LOK T/GRUPPUTALVU PGE 150-21 TRANSP

STK G

1016009531

424 LOK T/MÁLARARAMMA PME150-PGSE18 HV

STK G

1016008176

424 LOK T/MÁLARASKÁP V/RÚTI HV

STK G



* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|------------|-------------------------------------|------|------|
| 1016008532 | 424 LÚKA T/GRUPPUTALVU UG-150 KLÁRT | STK | G |



| | | | |
|------------|--|-----|---|
| 5317105855 | 424 LYKIL T/STANDARDLÁS MS1 M22-ES-MS1 | STK | G |
|------------|--|-----|---|



| | | | |
|------------|------------------------------------|-----|---|
| 5322658052 | 424 MAKSIMALAVBR 4P 80ANZMB1-4-A80 | STK | G |
|------------|------------------------------------|-----|---|



| | | | |
|------------|-------------------------------|-----|---|
| 1016009418 | 424 MÁLARARAMMA PME 150-L PLF | STK | G |
| 1016008891 | 424 MÁLARARAMMA UM/F v/leidn | STK | G |



| | | | |
|------------|------------------------------|-----|---|
| 1016008121 | 424 MÁLARASKÁP PLF UTTANDURA | STK | G |
|------------|------------------------------|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



1016008228

424 MÁLARATILSLUTNING V/LEIDN. 169A1114

STK G



9698040004

424 MÁLARI KWH 1F DIN 32A PEJ1606

STK G

9698067265

424 MÁLARI KWH 3F DIN 3x230/400 100/IMP KL2 ODIN

STK G



5322271130

424 MINIRELÉ 3S+1B DILER-31-G 24V DC

STK G



5322784836

424 MOTORVÆRN HONDB 2,2/400 TR 4-6,3

STK G

5322174318

424 MOTORVÆRN HONDB. 0,09KW/400V 0,25-0,4

STK G

5322174334

424 MOTORVÆRN HONDB. 0,25KW/400V 0,63-1

STK G

5322174350

424 MOTORVÆRN HONDB. 0,75KW/400V 1,6-2,5

STK G

5322174363

424 MOTORVÆRN HONDB. 1,5KW/400V 2,5-4

STK G

5322174376

424 MOTORVÆRN HONDB. 2,5KW/400V 4-6,3

STK G

5322174389

424 MOTORVÆRN HONDB. 4,0KW/400V 6,3-10

STK G

5322176400

424 MOTORVÆRN HONDB. 7,5KW/400V 10-16

STK G

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vörutekstur | Eind | Goym |
|------------|---|------|------|
| 5322784768 | 424 MOTORVÆRN HONDB. 0,06/400 TR 0,16-25 | STK | G |
| 5322784805 | 424 MOTORVÆRN HONDB. 0,55/400 TR 1-1,6 | STK | G |
| 5322784812 | 424 MOTORVÆRN HONDB. 0,75/400 TR 1,5-2,5 | STK | G |
| 5322784829 | 424 MOTORVÆRN HONDB. 1,5/400 TR 2,5-4 | STK | G |
| 5322186429 | 424 MOTORVÆRN HONDB. 11KW/400V 16-25 | STK | G |
| 5322784843 | 424 MOTORVÆRN HONDB. 4,0KW/400V M/TR 6,3-10 | STK | G |
| 5322833909 | 424 MOTORVÆRN HONDB. 7,5/400 TR 10-16 | STK | G |




| | | | |
|------------|--|-----|---|
| 5323051294 | 424 MULTIF.RELÉ 0,05S-100T ETR4-69-A | STK | G |
| 5323051317 | 424 MULTIFUNK. RELE 0,05S-100T ETR4-70-A | STK | G |



| | | | |
|------------|----------------------------------|-----|---|
| 5317106087 | 424 NEYÐSTOPP REYÐ/GUL 1B PV/K01 | STK | G |
|------------|----------------------------------|-----|---|



| | | | |
|------------|---|-----|---|
| 5317106171 | 424 NEYÐSTOPP REYÐ/GUL 1S1B KAPSL. M22-PV/KC11/IY | STK | G |
| 5317106168 | 424 NEYÐSTOPP REYÐ/GUL 2B KAPSLAÐ M22-PV/KC02/IY | STK | G |



| | | | |
|------------|--|-----|---|
| 5317107361 | 424 NEYÐSTOPSKILTI GULT D/GB/F/I (Ø60) XBK 1 | STK | G |
| 5317106003 | 424 NEYÐSTOPSKILTI GULT GB/S/SF/DK XAK4 | STK | G |

* G = Vöran er á goymslu

* S = Skaffivøra, kann í flestu fòrum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vørunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



5318149014

424 NULLELEMENT FRONMONT N-P1E

STK

G




5317100973

424 PADDUTRYKK REYTT 0 DP-R-X0

STK

G



1016010669

424 PAKNING T/GRUPPUTALVU 1F

STK

G

1016010672

424 PAKNING T/GRUPPUTALVU 2F

STK

G



3922089283

424 PFI RELÉ 2P 300MA

STK

G



3922200668

424 PFI RELÉ 63A 4P 0,300A (091 60)

STK

G

3922200257

424 PFI RELÉ 40A 4P 0,300A (091 59)

STK

G

3922200613

424 PFI RELÉ 40A 4P 0,300A (091 65) SELEKT

STK

G

3922401616

424 PFI RELÉ 40A 4P 0,500A (4 117 90)

STK

G

3922200260

424 PFI RELÉ 63A 4P 0,300A (091 66) SELEKT

STK

G

3922200642

424 PFI RELÉ 63A 4P 0,500A (091 72)

STK

G

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir þísir eru uttan/ Mvg

| Vørunr | Bólki Vørutekstur | Eind | Goym |
|------------|---|------|------|
| |  | | |
| 5317108700 | 424 POTENTIOMETUR 10 KOHM M22-R10K | STK | G |
| |  | | |
| 5318139846 | 424 REP.AVBR 3P 13KW-AC23 FRONTMONT | STK | G |
| 5319138147 | 424 REP.AVBR 3P 37KW-AC23 FRONTMONT | STK | G |
| 5319138257 | 424 REP.AVBR 3P 37KW-AC23 FRONTMONT | STK | G |
| 5319131775 | 424 REP.AVBR 3P+N 6,5KW-AC23 FRONTM SVB | STK | G |
| 5319132376 | 424 REP.AVBR 3P+N 6,5KW-AC23 FRONTM SVB-SW | STK | G |
| 5319132570 | 424 REP.AVBR 6P 6,5KW KAPSLAÐ | STK | G |
| |  | | |
| 5317548346 | 424 RESETKNAPPUR MSS DZ-B-GB14 | STK | G |
| |  | | |
| 1016008558 | 424 SAMANKOBL BESLAG UG 150 LODR | STK | G |
| |  | | |
| 1016008545 | 424 SAMANKOBL BESLAG UG 150 VATNR. | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|--------|-------------------|------|------|
|--------|-------------------|------|------|



| | | | |
|------------|-------------------------------------|-----|---|
| 1016009573 | 424 SAMANKOBLING BESLAG PGSE/PME150 | STK | G |
|------------|-------------------------------------|-----|---|



| | | | |
|------------|-------------------------------------|-----|---|
| 5317101817 | 424 SIGNALLAMPA FLØT GRØN M22-L-G B | STK | G |
|------------|-------------------------------------|-----|---|


| | | | |
|------------|-------------------------------------|-----|---|
| 5317101804 | 424 SIGNALLAMPA FLØT REYÐ M22-L-R B | STK | G |
|------------|-------------------------------------|-----|---|



| | | | |
|------------|---------------------------|-----|---|
| 1018020330 | 424 SIKRINGSSKUFFA 10A r. | STK | G |
|------------|---------------------------|-----|---|

| | | | |
|------------|---------------------------|-----|---|
| 1018020369 | 424 SIKRINGSSKUFFA 13A D0 | STK | G |
|------------|---------------------------|-----|---|

| | | | |
|------------|----------------------------|-----|---|
| 1018020343 | 424 SIKRINGSSKUFFA 16A gr. | STK | G |
|------------|----------------------------|-----|---|



| | | | |
|------------|------------------------------|-----|---|
| 3419700354 | 424 SIKRINGSSKUFFA 20A 3stk. | STK | G |
|------------|------------------------------|-----|---|

| | | | |
|------------|------------------------------|-----|---|
| 3419700367 | 424 SIKRINGSSKUFFA 25A 3stk. | STK | G |
|------------|------------------------------|-----|---|

| | | | |
|------------|------------------------------|-----|---|
| 3419700370 | 424 SIKRINGSSKUFFA 35A 3stk. | STK | G |
|------------|------------------------------|-----|---|

| | | | |
|------------|------------------------------|-----|---|
| 3419700383 | 424 SIKRINGSSKUFFA 50A 3stk. | STK | G |
|------------|------------------------------|-----|---|

| | | | |
|------------|------------------------------|-----|---|
| 3419700396 | 424 SIKRINGSSKUFFA 63A 3stk. | STK | G |
|------------|------------------------------|-----|---|

| | | | |
|------------|--|-----|---|
| 3419700710 | 424 SIKRINGSSKUFFA TYTAN 6x 2-16A 16-921 | STK | G |
|------------|--|-----|---|



| | | | |
|------------|---------------------------|-----|---|
| 7921069835 | 424 SKILJIKLEMMMA WTR 2,5 | STK | G |
|------------|---------------------------|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|------------|--|------|------|
| 5317107675 | 424 SKILTI SVARTUR PÍLUR | STK | G |
| 5317105774 | 424 SKILTIHALDARI 50MM HØG RUND SO M22S-ST-X | STK | G |



| | | | |
|------------|----------------------------|-----|---|
| 5322710668 | 424 SLØJFESKINNARI 1P+N 1M | STK | G |
|------------|----------------------------|-----|---|



| | | | |
|-------------|--|-----|---|
| 75230050191 | 424 SMART RELÉ Zelio-054763 (Schneider-Electric) | STK | G |
|-------------|--|-----|---|



| | | | |
|------------|--|-----|---|
| 3417504219 | 424 STIKKONT FUGA 1M LMJ T/DINSKINNARA | STK | G |
|------------|--|-----|---|



| | | | |
|------------|-------------------------------|-----|---|
| 5322063128 | 424 TERMOLRELÉ 16-24AZ 00-24 | STK | G |
| 5322063063 | 424 TERMORELÉ 1-1,6AZ 00-1,6 | STK | G |
| 5322065016 | 424 TERMORELÉ 0,6-1A ZE-1,0 | STK | G |
| 5322065074 | 424 TERMORELÉ 1,6-2,4A ZE-2,4 | STK | G |
| 5322065087 | 424 TERMORELÉ 2,4-4A ZE-4 | STK | G |
| 5322065090 | 424 TERMORELÉ 4,0-6A ZE-6 | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu førum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vørunr | Bólki Vørutekstur | Eind | Goym |
|------------|----------------------------|------|------|
| 5322065100 | 424 TERMORELÉ 6,0-9A ZE-9 | STK | G |
| 5322063102 | 424 TERMORELÉ 6-10A Z00-10 | STK | G |



| | | | |
|------------|--|-----|---|
| 3923100071 | 424 TÍÐSRELÉ 12-230V 0,1s-10t (047 44) | STK | G |
|------------|--|-----|---|



| | | | |
|------------|------------------------------|-----|---|
| 3923100372 | 424 TÍMATELJARI 230V T/DIN | STK | G |
| 3923400519 | 424 TÍMATELJARI 230V T/TALVU | STK | G |



| | | | |
|------------|---------------------------------|-----|---|
| 5314330733 | 424 TRANSFORMATOR 1,4KVA 400/24 | STK | G |
|------------|---------------------------------|-----|---|



| | | | |
|------------|---|-----|---|
| 3923300680 | 424 TRAPPUAUTOMAT 0,5-10MIN 230VAC 1S (037 01P) | STK | G |
|------------|---|-----|---|

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu førum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goym |
|---------------|--|------|------|
| |  | | |
| 5318135141 | 424 TRYGDARAVBR 20A T0-2-1/EA/SVB | STK | G |
| 5319139890 | 424 TRYGDARAVBR 32A P1-32/EA/SVB | STK | G |
| |  | | |
| 6419410301289 | 424 TRYGDARAVBR 3POL 20A GRÁ | STK | G |
| 6419410301296 | 424 TRYGDARAVBR 3POL 20A GUL/REYÐ | STK | G |
| |  | | |
| 5317107730 | 424 TRYKKNAPPUR GRØNUR M22-D-G B | STK | G |
| 5317100591 | 424 TRYKKNAPPUR REYÐUR M22-D-R B | STK | G |
| 5317100559 | 424 TRYKKNAPPUR SVARTUR M22-D-S B | STK | G |
| |  | | |
| 5319133074 | 424 UMSK. 4P 3STIL 20A KAPSLAÐ T0-4-8213/1 | STK | G |
| 5319133045 | 424 UMSK.YD 5,5KW/400V KAPSLAÐ T0-4-8410-I1 | STK | G |
| 5319133359 | 424 UMSK.YD 18,5KW/400V KAPSLAÐ T3-4-8410/I2 | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vörunr | Bólki Vørutekstur | Eind | Goyrn |
|------------|---|------|-------|
| |  | | |
| 3919000253 | 424 UMSKIFTARI 20A I-0-2 | STK | G |
| |  | | |
| 5322189138 | 424 UNDIRSP.ÚTLOYSARI U-PKZO(400V50HZ) | STK | G |
| |  | | |
| 5317108658 | 424 UNURPARTUR T/FAK KASSABOTNUR | STK | G |
| |  | | |
| 5322178576 | 424 ÚTLOYSIBLOK 4KW-AC3/400V ZM-10-PKZ2 | STK | G |
| |  | | |
| 5319133032 | 424 VENDIUMSK. 3P 4KW/400V KAPSLAÐ | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu ørum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg

| Vørunr | Bólki Vørutekstur | Eind | Goym |
|------------|-------------------------------------|------|------|
| 5319133333 | 424 VENDIUMSK. 3P 12W/400V KAPSLAÐ | STK | G |
| 5319135687 | 424 VENDIUMSK. 3P 22KW/400V KAPSLAÐ | STK | G |



| | | | |
|------------|---|-----|---|
| 3923401042 | 424 VIKUUR "AstroRex3" D21 S 1KANAL 230V DIN (412654) | STK | G |
| 3923400920 | 424 VIKUUR "MicroRex3" D21 1KANAL 230V DIN (603 770) | STK | G |

* G = Vøran er á goymslu

* S = Skaffivøra, kann í flestu førum útvegast innan 10 arbeiðsdagar.

Allir prísir eru uttan/ Mvg